



WASP PROTECT

Portal > Knowledgebase > Software > InventoryControl > Version 7 > InventoryControl v7:
Default label tables and fields

InventoryControl v7: Default label tables and fields

Scott Kircher - 2018-07-26 - in Version 7

When InventoryControl is initially installed, the default label files are created that are linked to the database, with valid database tables and fields available and assigned to objects in the label layout. Below are the settings for each label as well as their initial settings.

See Related Pages below for the disk paths where the labels are stored.

An asterisk (*) before a field name indicates that field appears on the default label layout.

Note: Item Label is listed first since it's the most often edited (instead of third as in InventoryControl's Labels dialog).

Labels, **Item Label**

Used for: Printing item label from Item List (data has been permanently added to database).

filename: Inventory Item.LABX

table: dbo.vLabelerItem

available fields:

item_id

* item_number

* description

manufacturer

name

unit_of_measure

alt_item_number

Category

item_type_name

Labels, "**Add, Assemble, Receive Item Label**"

Used for: Printing item label when adding on PC (data is in temporary holding table during Add process)

filename: AddTransactionItemLabelDB.LABX

table: vPendingItems

available fields:

trans_date

entry_date

date_acquired

adjust_type

quantity

cost

serial_number

date_code

po

lot

pallet

print_label_no

* item_number

* item_description

item_cost

avgcost

alt_item_number

list_price

sale_price

company_id

location

location_description

user_id

site_name

site_description

supplier_number

supplier_name

transaction_id

record_status

Labels, **"Add, Receive Item Label for Mobile Device"**

filename: MobileDeviceAddTransactionItemLabelDB.LABX

table: vAddTransactions

available fields:

trans_date

entry_date

date_acquired

adjust_type

quantity

cost

serial_number

date_code

po

lot

pallet

print_label_no

* item_number

* item_description

item_cost

avgcost

alt_item_number

list_price

sale_price

company_id

location

location_description

user_id

site_name

site_description

supplier_number

supplier_name

transaction_id

record_status

Labels, **Location Label**

filename: Inventory Location.LABX

table: vLabelerLocation

available fields:

location_id (internal code)

* code (location name)
* locationDes
* site_name

Labels, **Transaction Label Date Code**

filename: Inventory DateCode.LABX

table: vLabelerDateCode

available fields:

transaction_id

* date_code

Labels, **Transaction Label Lot**

filename: Inventory Lot.LABX

table: vLabelerLot

available fields:

transaction_id

* lot

Labels, **Transaction Label Pallet**

filename: Inventory Pallet.LABX

table: vLabelerPallet

available fields:

transaction_id

* pallet

Labels, **Transaction Label Serial Number**

filename: Inventory Serial Number.LABX

table: vLabelerSN

Note: no field is linked to the barcode!

available fields:

transaction_id

item_id
serial_number

Related Pages

- [InventoryControl Label File Paths](#)