

# Wasp

## BARCODE TECHNOLOGIES

[Portal](#) > [Knowledgebase](#) > [Discontinued Products](#) > [InventoryControl](#) > [Version 7](#) > [InventoryControl Label File Paths](#)

---

### InventoryControl Label File Paths

Scott Leonard - 2018-06-26 - in *Version 7*

This article applies to InventoryControl v6 & v7, Professional and Enterprise editions.

InventoryControl keeps its labels on each client PC's hard drive. This has a couple of implications:

1. If a label file is corrupt on one PC, another PC's label would not be affected. A corrupt label file could easily be replaced with a good label file.
2. If a label file has been customized a certain way on one PC, then in order to print that custom label from another PC, the file must be copied to the appropriate location on the other PC.

---

This path contains any **labels modified from the default**, whether edited in Labeler on this PC, or copied in from another path (applies to any client PC). InventoryControl prints using these files:

- Windows Vista and newer (7, 8, 10): C:\ProgramData\Wasp Barcode Technologies\InventoryControl\4.0.0.0\Labels
- Windows XP: C:\Documents and Settings\All Users\Application Data\Wasp Barcode Technologies\InventoryControl\4.0.0.0\Labels

---

This path contains the **default labels**. These files should not be changed during normal use (applies to any client PC):

- 64-bit Windows: C:\Program Files (x86)\Wasp Technologies\InventoryControl\Labels
- 32-bit Windows: C:\Program Files\Wasp Technologies\InventoryControl\Labels

---

This path contains **labels used when printing from a mobile device** (applies to the PC that runs the Windows Inventory Windows Service):

- Windows Vista and newer (7, 8, 10): C:\ProgramData\Wasp Barcode Technologies\WaspInventoryWindowsService\6.0.0.0\Labels
- Windows XP: C:\Documents and Settings\All Users\Application Data\Wasp Barcode Technologies\WaspInventoryWindowsService\6.0.0.0\Labels

---

#### **Label filenames:**

Labels, "Add, Assemble, Receive Item Label" (Printing item label when adding on PC -- data is in temporary holding table during Add process): AddTransactionItemLabelDB.LABX

Labels, "Add, Receive Item Label for Mobile Device":

MobileDeviceAddTransactionItemLabelDB.LABX

Labels, Item Label (Printing item label from Item List -- data has been permanently added to database): Inventory Item.LABX

Labels, Location Label: Inventory Location.LABX

Labels, Transaction Label Date Code: Inventory DateCode.LABX

Labels, Transaction Label Lot: Inventory Lot.LABX

Labels, Transaction Label Pallet: Inventory Pallet.LABX

Labels, Transaction Label Serial Number: Inventory Serial Number.LABX

---

[Related Pages](#)

- [InventoryControl v7: Default label tables and fields](#)
- [InventoryControl: Configure mobile device label printing, when printer is not connected to the Inventory Service PC](#)