InventoryControl v7: Default label tables and fields

Scott Leonard - 2018-07-26 - Version 7

When InventoryControl is initially installed, the default label files are created that are linked to the database, with valid database tables and fields available and assigned to objects in the label layout. Below are the settings for each label as well as their initial settings.

See Related Pages below for the disk paths where the labels are stored.

An asterisk (*) before a field name indicates that field appears on the default label layout.

Note: Item Label is listed first since it's the most often edited (instead of third as in InventoryControl's Labels dialog).

Labels, **Item Label**
Used for: Printing item label from Item List (data has been permanently added to database).
filename: Inventory Item.LABX
table: dbo.vLabelerItem

available fields:
item_id
* item_number
* description
manufacturer
name
unit_of_measure
alt_item_number
Category
item_type_name

Labels, "**Add, Assemble, Receive Item Label**"
Used for: Printing item label when adding on PC (data is in temporary holding table during Add process)
filename: AddTransactionItemLabelDB.LABX
table: vPendingItems

available fields:
trans_date
entry_date
date_acquired
adjust_type
quantity
cost
serial_number
date_code
po
lot
pallet
print_label_no
* item_number
* item_description
item_cost
avgcost
alt_item_number
list_price

sale_price
company_id
location
location_description
user_id
site_name
site_description
supplier_number
supplier_name
transaction_id
record_status

Labels, "**Add, Receive Item Label for Mobile Device**"
filename: MobileDeviceAddTransactionItemLabelDB.LABX
table: vAddTransactions

available fields:
trans_date
entry_date
date_acquired
adjust_type
quantity
cost
serial_number
date_code
po
lot
pallet
print_label_no
* item_number
* item_description
item_cost
avgcost
alt_item_number
list_price
sale_price
company_id
location
location_description
user_id
site_name
site_description
supplier_number
supplier_name
transaction_id
record_status

Labels, **Location Label**
filename: Inventory Location.LABX
table: vLabelerLocation

available fields:
location_id (internal code)
* code (location name)
* locationDes
* site_name

Labels, **Transaction Label Date Code**
filename: Inventory DateCode.LABX
table: vLabelerDateCode

available fields:
transaction_id
* date_code

Labels, **Transaction Label Lot**
filename: Inventory Lot.LABX
table: vLabelerLot

available fields:
transaction_id
* lot

Labels, **Transaction Label Pallet**
filename: Inventory Pallet.LABX
table: vLabelerPallet

available fields:
transaction_id
* pallet

Labels, **Transaction Label Serial Number**
filename: Inventory Serial Number.LABX
table: vLabelerSN

Note: no field is linked to the barcode!
available fields:
transaction_id
item_id
serial_number

Related Content

- InventoryControl Label File Paths