



BARCODE TECHNOLOGIES

[Knowledgebase](#) > [Discontinued Products](#) > [MobileAsset](#) > [Version 7](#) > [MobileAsset v7: Default label tables and fields](#)

## MobileAsset v7: Default label tables and fields

Scott Leonard - 2018-08-30 - [Version 7](#)

When MobileAsset v7 is initially installed, the default label files are created that are linked to the database, with valid database tables and fields available and assigned to objects in the label layout. Below are the settings for each label as well as their initial settings.

See Related Pages below for other articles about working with MobileAsset's labels.

An asterisk (\*) before a field name indicates that field appears on the default label layout.

-----  
**Asset Tags**

filename: Asset Tag.labx

table: vLabelerAsset\_AssetTag

fields ( \* = on default label)

asset\_id (internal identifier)

\* asset\_tag

serial\_number

item\_id

department\_id (internal identifier)

purchase\_date

purchase\_cost

salvage\_value

condition\_id (internal identifier)

location\_id (internal identifier)

depreciation\_begin\_date

depreciation\_end\_date

last\_depreciation\_date

total\_depreciation

current\_depreciation

depreciated\_value

should\_depreciate

po

warranty\_begin\_date

warranty\_end\_date

warranty\_provider

is\_disposed

is\_checked\_out

last\_audit\_date

parent\_id (internal identifier)

transact\_as\_whole

linking\_indicator

linking\_is\_child\_checked\_out

usrdefdate1

usrdefdate2

usrdefdate3

usrdefdate4

usrdefdate5

usrdefnumber1

usrdefnumber2

usrdefnumber3

usrdefnumber4

usrdefnumber5

usrdeftext1

usrdeftext2  
usrdeftext3  
usrdeftext4  
usrdeftext5  
usrdeftext6  
usrdeftext7  
usrdeftext8  
usrdeftext9  
usrdeftext10  
record\_status  
company\_id (internal identifier)  
date\_updated  
\* asset\_description  
manufacturer\_id (internal identifier)  
model  
supplier\_id (internal identifier)  
checkout\_duration  
lead\_time  
linked\_reference  
item\_number (this is Asset Type)  
description  
name (corresponds to asset's "Department Name" field)  
site\_name (corresponds to asset's "Site" field)  
location (corresponds to the "Description" field of the Location List, for MAV7.0 & 7.1). See Related Pages below for a fix.

Default Label contains objects:  
Description: asset\_description  
BarCode: asset\_tag

-----

### **Location Labels**

filename: Location Labels.labx  
table: dbo.vLabelerAssetLocation

fields ( \* = on default label)  
location\_id (internal identifier)  
\* code (location name)  
description (location description)  
\* site\_name  
site\_description

Default Label contains objects:  
- Text2.000: site\_name, code  
- BarCode1: code

-----

### **Employee Badges**

filename: Employee Badges.labx  
table: dbo.vLabelerAssetEmployeeBadge

fields ( \* = on default label)  
employee\_id (internal identifier)  
\* employee\_number  
\* last\_name  
\* first\_name  
\* title  
department\_id (internal identifier)  
manager\_id (internal identifier)  
email  
date\_added  
usrdefdate1  
usrdefdate2

usrdefdate3  
usrdefdate4  
usrdefdate5  
usrdefnumber1  
usrdefnumber2  
usrdefnumber3  
usrdefnumber4  
usrdefnumber5  
usrdeftext1  
usrdeftext2  
usrdeftext3  
usrdeftext4  
usrdeftext5  
usrdeftext6  
usrdeftext7  
usrdeftext8  
usrdeftext9  
usrdeftext10  
company\_id (internal identifier)  
record\_status  
date\_updated  
file\_name  
\* file\_data (default picture)

Default Label contains objects:  
Text1.000: last\_name, first\_name  
Text2: title  
Picture1: file\_data  
Barcode1: employee\_number

Note this article below in Related Pages: MobileAsset v7: Employee Badge label has department\_id rather than the department name or code which adds two new fields to the label: DeptName & DeptCode

-----  
Mobile Asset Tags, Mobile Check In Receipt, and Mobile Check Out Receipt: These contain ZPL code and are not editable by Labeler.

## Related Content

- [MobileAsset v7: Employee Badge label has department\\_id rather than the department name or code](#)
- [How to edit or modify the default asset tag for MobileAsset version 7 \(custom label\)](#)
- [MobileAsset v7: The data table for the Asset Tag label includes the Location description, but not the Location code](#)
- [MobileAsset v7: How to use a customized label for the Asset Tags](#)
- [MobileAsset v7: Setting up the data source for the Asset Tags and other labels](#)